

Cerebral Hemispheres

The human brain is divided into two distinct hemispheres: the left and right cerebral hemispheres. These two hemispheres are connected by a thick band of nerve fibers known as the corpus callosum, which allows communication between the two. Although both hemispheres are involved in most cognitive processes, there are several differences between them in terms of structure and function.

- **Structure:** The left and right hemispheres have different morphological characteristics, with the left hemisphere typically being slightly larger in size. This difference in size is believed to be related to the greater demands placed on the left hemisphere for language processing. In terms of neural connectivity, the left hemisphere is more densely connected within itself and less connected with the right hemisphere, whereas the right hemisphere is more widely connected with the rest of the brain.
- **Function:** The two hemispheres have distinct and complementary functions, which often lead to lateralization of cognitive processes. The left hemisphere is typically associated with language processing, analytical thinking, and sequential processing, while the right hemisphere is associated with spatial reasoning, artistic ability, and holistic processing.
- **Language:** The left hemisphere is considered the dominant hemisphere for language processing, including the production and comprehension of speech. The left hemisphere contains Broca's area, which is responsible for the production of speech, and Wernicke's area, which is responsible for the comprehension of speech. In most people, language processing is lateralized to the left hemisphere, although there are some individuals with a degree of bilateral language representation.
- **Analytical Thinking:** The left hemisphere is also specialized in analytical thinking, which involves breaking down information into smaller parts and examining them in detail. This includes mathematical reasoning, logical problem-solving, and scientific thinking.
- **Spatial Reasoning:** The right hemisphere, on the other hand, is specialized in spatial reasoning and perception, which involves understanding and manipulating objects in three-dimensional space. This includes tasks such as visual-spatial reasoning, map reading, and art appreciation.
- **Artistic Ability:** The right hemisphere is also associated with artistic ability, including the ability to appreciate beauty and form. This includes skills such as music appreciation, creativity, and the ability to understand and create visual art.
- **Holistic Processing:** The right hemisphere is also specialized in holistic processing, which involves the integration of information from multiple sources to form a complete picture. This includes tasks such as pattern recognition, facial recognition, and understanding the emotional content of speech.

Roger Wolcott Sperry

Roger Wolcott Sperry was an American neuropsychologist and neurobiologist who was awarded the Nobel Prize in Physiology or Medicine in 1981 for his groundbreaking work on the specialization of the cerebral hemispheres. He was born in 1913 in Hartford, Connecticut and received his PhD in Zoology from the University of Chicago in 1941.

Sperry's work focused on the study of brain function and the specialization of the two hemispheres of the brain. He was particularly interested in understanding the role of the corpus callosum, a large bundle of nerve fibers that connects the two hemispheres. In the 1950s and 1960s, he conducted a series of experiments in which he studied patients who had undergone surgical severance of the corpus callosum in order to treat epilepsy.

Sperry found that after this surgical procedure, the two hemispheres of the brain were no longer able to communicate with each other, and instead operated as separate entities. He discovered that the two hemispheres had different specializations, with the left hemisphere being specialized for language and logical processes, and the right hemisphere being specialized for visual-spatial processing, music, and artistic abilities. This discovery of hemispheric specialization was a major contribution to the field of neuroscience and helped to establish the concept of lateralization of brain function.

In addition to his research on the corpus callosum and hemispheric specialization, Sperry also made important contributions to the understanding of the brain and its ability to reorganize and recover from injury. His work has had a lasting impact on the field of neuroscience and has led to new perspectives on the nature of brain function and the potential for recovery from brain injury.

From:

<https://dokuwiki.3dd.de/> - **Integral Eye Movement Therapy (IEMT) Wiki**

Permanent link:

https://dokuwiki.3dd.de/cerebral_hemispheres?rev=1675446021

Last update: **2023/02/03 18:40**

